

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/688,316	10/17/2003	Fredrick J. Landram	TELN . P0200US	8879
7590 01/24/2008 Cynthia S. Murphy			EXAMINER	
Renner, Otto, Boisselle & Sklar, LLP			BAYARD, DJENANE M	
Nineteenth Floo 1621 Euclid Av			ART UNIT	PAPER NUMBER
Cleveland, OH 44115-2191			2141	
			MAIL DATE	DELIVERY MODE
			01/24/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		r	าฟ			
• • •	Application No.	Applicant(s)	Ŀ			
	10/688,316	LANDRAM ET AL.				
Office Action Summary	Examiner	Art Unit				
	Djenane M. Bayard	2141				
The MAILING DATE of this communication appeared for Reply	opears on the cover sheet wit	h the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING I Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC .136(a). In no event, however, may a red d will apply and will expire SIX (6) MONI tte, cause the application to become ABA	ATION. ply be timely filed IHS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 27	November 2007.					
2a) This action is FINAL . 2b) ⊠ Th	is action is non-final.					
,—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D.	11, 453 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-31</u> is/are pending in the applicatio	n.					
4a) Of the above claim(s) is/are withdra						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-31</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/	or election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examir	ner.					
10) The drawing(s) filed on is/are: a) □ ac	ccepted or b) objected to b	y the Examiner.				
Applicant may not request that any objection to the	e drawing(s) be held in abeyan	ce. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the corre	ection is required if the drawing(s) is objected to. See 37 CFR 1.121(d).				
11) The oath or declaration is objected to by the E	Examiner. Note the attached	Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreig	n priority under 35 U.S.C. §	119(a)-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documer	nts have been received.					
2. Certified copies of the priority documer		oplication No				
3. Copies of the certified copies of the pri	ority documents have been	received in this National Stage				
application from the International Bure	au (PCT Rule 17.2(a)).	•				
* See the attached detailed Office action for a lis	st of the certified copies not	eceived.				
		,				
Attachment(s)						
1) Notice of References Cited (PTO-892)		ummary (PTO-413)				
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08))/Mail Date formal Patent Application				

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06)

3) Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date

6) Other: _____.

10/688,316 Art Unit: 2141

DETAILED ACTION

- 1. This is in response to communication filed on 112/31/07 in which claims 1-31 are pending.
- 2. The affidavit filed on 12/31/07 under 37 CFR 1.131 is sufficient to overcome the Nixon et al reference.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 4. Claims 9-10, 14-16, 18-20, 23-29 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent No. 6,529727 to Findikli et al.
- a. As per claim 9, Findikli et al teaches maintaining configuration data on a server coupled to a network, the method comprising the steps of: storing in memory on the server different configuration data for a plurality of different mobile devices (See col. 4, lines 11-18), wherein

10/688,316

Art Unit: 2141

each mobile device is operable to maintain a communication link as the mobile device roams between communication cells (See col. 3, lines 33-35); the server receiving, via the network, requests for the different configuration data from the different mobile devices respectively (See col. 2, lines 1-17); and the server providing, via the network, the different configuration data to the different mobile devices, respectively (See col. 6, lines 1-40).

- b. As per claim 14, Findikli et al teaches a self configuring mobile device, comprising: a discovery module for discovering device specific information on a wireless computer network (See col. 4, lines 26-40); a communication module for transmitting data to and receiving data from the wireless computer network, wherein the communications module obtains device specific information from the discovery module to establish a communications link to at least one device (See col. 5, lines 49-67 and col. 6, lines 1-40); an update module operatively coupled to the communications module for querying the at least one device to obtain a configuration update (See col. 6, lines 1-40); and a configuration module for configuring the mobile device, wherein the configuration module implements the configuration update to configure the mobile device to a custom configuration (See col. 6, lines 1-55), wherein the mobile device is operable to maintain a communication link as the mobile device roams between communication cells (See col. 3, lines 33-35).
- c. As per claim 10, Findikli et al teaches the clamed invention as described above.

 Furthermore, Findikli et al wherein the step of maintaining configuration data for a plurality of mobile devices includes the steps of: storing in memory on the server an identification code for

10/688,316

Art Unit: 2141

uniquely identifying each mobile device; wherein the configuration data corresponds to the identification code (See col. 2, lines 60-67).

- d. As per claim 15, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches a user input module for entering data corresponding to the configuration of the mobile device (See col. 3, lines 40-46)
- e. As per claim 16, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches wherein the user input module is a keypad. (See col. 3, lines 40-46).
- f. As per claim 18, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches wherein the self configuring mobile device initially is configured in a generic state (See col. 2, lines 18-32).
- g. As per claim 19, Findikli et al teaches the clamed invention as described above.

 Furthermore, Findikli et al teaches at least one system backbone; at least one host computer coupled to the system backbone; a wireless remote station coupled to the at least one system backbone; and the self configuring mobile device of claim 14, wherein the self configuring mobile device and the at least one host computer are operatively configured to wirelessly communicate configuration information there between, and the self configuring mobile device changes a first configuration setting to a second configuration based on a plurality of

Art Unit: 2141

configuration data received from the at least one host computer, said second configuration setting being specific to a particular environment (See

- h. As per claim 20, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches a local station coupled to the at least one system backbone and to at least one remote communication link, wherein the wireless remote station is coupled to the at least one system backbone through the remote communication link and the local station (See col. 4, lines 11-25).
- i. As per claim 23, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches wherein the local station and the wireless remote station are routers (See col. 4, lines 11-25).
- j. As per claim 24, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches wherein the environment is a computer network (See col. 1, lines 22-32).
- k. As per claim 25, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches wherein the environment is a computer management system for managing business operations (See col. 1, lines 22-32).

Page 6 Application/Control Number:

10/688,316 Art Unit: 2141

As per claim 26 Findikli et al teaches the clamed invention as described above.

Furthermore, Findikli et al teaches wherein the at least one host computer includes a memory and a database stored in the memory (See col. 6, lines 15-40).

As per claim 27, Findikli et al teaches the clamed invention as described above. m.

Furthermore, Findikli et al teaches wherein the database comprises: an identification entry for uniquely identifying each self configuring mobile device in the system; and a configuration entry for specifying the configuration of the self configuring mobile device, wherein the configuration entry corresponds to the identification entry (See col. 6, lines 1-40).

- As per claim 28, Findikli et al teaches the clamed invention as described above. n. Furthermore, Findikli et al teaches wherein the identification entry is a device serial number (See col. 2, lines 18-20).
- As per claim 29, Findikli et al teaches the clamed invention as described above. 0. Furthermore, Findikli et al teaches wherein the database further comprises a registration data entry and a device capabilities entry (See col. 6, lines 1-40).

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all 5. obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are

10/688,316 Art Unit: 2141

such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 6. Claims 1-3, 7-8, 30-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 7,133695 to Beyda in view of U.S. Patent No. 6,529727 to Findikli et al.
- As per claim 1, Findikli et al a method of transacting business in conjunction with a sale a. of mobile devices, the method comprising the steps of: shipping at least a first mobile device to a first end user and at least a second mobile device to a second end user different from the first end user, the first mobile device and the second mobile device having generally a same hardware and software configuration during shipping; maintaining on at least one server coupled to a network configuration data for a plurality of mobile devices (See col. 2, lines 1-17); downloading first configuration data and second configuration data, respectively, from the at least one server, the first configuration data and the second configuration data being generally different; and automatically configuring themselves based on the first configuration data and the second configuration data (See col. 6, lines 1-40), wherein the mobile device is operable to maintain a communication link as the mobile device roams between communication cells (See col. 3, lines 33-35). Furthermore, Findikli et al inherently teaches wherein upon receipt of the first mobile device and the second mobile device by the first end user and the second end user, respectively, powering up the first mobile device and the second mobile device; and upon being powered up. the first mobile device and the second mobile device each automatically connecting to the at least one server via the network.

10/688,316

Art Unit: 2141

Beyda teaches a system and method for automatic mobile device activation.

Furthermore, Beyda teaches wherein the user switches the cellular telephone on, the local switch detects the power on and also determines that the telephone is preactivated (See col. 3, lines 43-45).

It would have been obvious to one with ordinary skill in the art at the time the invention was made to incorporate the teaching of Beyda in the claimed invention of Findikli et al in order to

- b. As per claim 2, See claim 10 above.
- c. As per claim 3, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches wherein the step of automatically connecting to the at least one server includes the steps of: transmitting to the server an identification code of the respective mobile device; and retrieving by the server configuration data based on the transmitted identification code (See col. 2, lines 60-67 and col. 3, lines 1-3).
- d. As per 7, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches configuring the mobile device manually in the event of a failure of the automatic configuration. (See col. 5, lines 37-39).
- e. As per claim 8, Findikli et al teaches the clamed invention as described above.

 Furthermore, Findikli et al teaches wherein the step of configuring the mobile device manually

Application/Control Number:

10/688,316 Art Unit: 2141

further comprises the steps of: creating encrypted data, wherein the encrypted data includes an identifier, a time/date window, and configuration data; entering the encrypted data into the mobile device; verifying that the identification code and the time/date window relative to the particular mobile device; and using the configuration data to configure the mobile device, wherein the configuration is conditioned upon the verification of the identifier and the time/date window (See col. 2, lines 18-32, col. 4, lines 26-62 and col. 5-24).

- t. As per claim 30, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches wherein the first mobile device and the second mobile device include a number of predefined features, and wherein automatically configuring the respective mobile devices includes configuring the first mobile device to enable access to a first number of features of the predefined number of features, and configuring the second mobile device to enable access to a second number of features of the predefined number of features, wherein the first number is different from the second number (See col. 4, lines 26-40).
- u. As per claim 31, Findikli et al teaches the clamed invention as described above. Furthermore, Findikli et al teaches wherein automatically configuring the mobile devices includes enabling or disabling features of the mobile devices based on an intended or actual user of the respective mobile devices (See col. 4, lines 26-40).

Page 10

Application/Control Number:

10/688,316 Art Unit: 2141

- 5. Claims 4-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,529727 to Findikli in view of U.S. Patent No. 7,133695 to Beyda as applied to claims 1 above and further in view U.S. Patent No. 6,628934 to Rosenberg et al.
- a. As per claim 4, Findikli et al teaches the claimed invention as described above. However, Findikli et al fails to teach wherein teaches a gateway for establishing remote communications between each mobile device and the server.

Rosenberg et al teaches wherein the mobile wireless device connects to a gateway (See col. 6, lines 1-40)

It would have been obvious to one with ordinary skill in the art at the time the invention was made to incorporate the teaching of Rosenberg et al in the claimed invention of Findikli et al in order to provide a link between the wireless network and the server (See col. 6).

b. As per claim 5, Findikli el al teaches the claimed invention as described above. However, Findikli et al fails to teach wherein the gateway is an internet connection.

Rosenberg et al teaches wherein the gateway is an internet connection (See col. 6, lines 1-40)

It would have been obvious to one with ordinary skill in the art at the time the invention was made to incorporate the teaching of Rosenberg et al in the claimed invention of Findikli et al in order to provide a link between the wireless network and the server (See col. 6).

Application/Control Number:

10/688,316 Art Unit: 2141

c. As per claim 6, Findikli el al teaches the claimed invention as described above.

However, Findikli et al fails to teach wherein the gateway is an intranet connection.

Rosenberg et al teaches wherein the gateway is an intranet connection (See col. 6)

It would have been obvious to one with ordinary skill in the art at the time the invention was made to incorporate the teaching of Rosenberg et al in the claimed invention of Findikli et al in order to provide a link between the wireless network and the server (See col. 6).

- 6. Claims 11-13 and 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,529727 to Findikli as applied to claims 9 and 14 above and further in view U.S. Patent No. 6,628934 to Rosenberg et al.
- a. As per claims 11, 12, 13, 21 and 22, See claims 4, 5 and 6 above.
- 6. Claim 17 rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,529727 to Findikli as applied to claim 14 above and further in view U.S. Patent Application No. 2005/0148367 to Natsumo.
- a. As per claim 17, Findikli et al teaches the claimed invention as described above. However, Findikli et al fails to teach wherein the user input module is a bar code reader.

Natsuno teaches a mobile communication terminal and card information reading device. Furthermore, Natsuno teaches wherein the user input module is a bar code reader (See page 14, paragraph [0313]).

Application/Control Number:

10/688,316 Art Unit: 2141

It would have been obvious to one with ordinary skill in the art at the time the invention was made to incorporate wherein the user input module is a bar code reader as taught by Natsuno into the claimed invention of Findikli in order for the transmitter receiver to exchange various information with the CAFIS Network (See page 14, paragraph [0313]).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Djenane M. Bayard whose telephone number is (571) 272-3878. The examiner can normally be reached on Monday- Friday 5:30 AM- 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rupal Dharia can be reached on (571) 272-3880. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Djenane Bayard

Patent Examiner

WILLIAM VAUGHN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100